

## 7. References

- Aberdeen University Marine Studies (1990) Post-drilling environmental survey of the benthic sediments in block 44/12 - 1989. 188 pp.
- Allen P L & Rees E I S (1999) ISSIA (Irish Sea Seabed Image Archive) A Directory of Seabed Camera Studies in the Irish Sea. University of Wales, Bangor, 82 pp.
- Andersen L W, Ruzzante D E, Walton M, Berggren P, Bjørge A & Lockyer C (in press) Conservation genetics of harbour porpoises, *Phocoena phocoena*, in eastern and central North Atlantic. Conservation Genetics.
- Arnold H (2000) A review of information relevant to bottlenose dolphins in the Cardigan Bay candidate Special Area of Conservation, West Wales. Report to the Countryside Council for Wales.
- Aurora Environmental Ltd & Hartley Anderson Ltd (2001) The UK Atlantic Margin Environment. Towards a better understanding. Atlantic Frontier Environmental Network, 78 pp.
- Austen M C, Warwick R M & Ryan K P (1993) *Astonema southwardorum* sp. nov., a gutless nematode dominant in a methane seep area in the North Sea. Journal of the Marine Biological Association of the UK 73, 627-634.
- Baines M E, Earll S J, Pierpoint C J L & Poole J (1995) The West Wales grey seal census. Countryside Council for Wales Contract Science Report 131. CCW, Bangor, 240 pp.
- Begg G S & Reid J B (1997) Spatial variation in seabird density at a shallow sea tidal mixing front in the Irish Sea. ICES Journal of Marine Science 54 (4), 552-565.
- Belderson R H, Kenyon N H & Wilson J B (1973) Iceberg plough marks in the Northeast Atlantic. Palaeogeography, Palaeoclimatology, Palaeoecology 13, 215-224.
- Bett B J (1996) Cruise Report No. 7 RRS Charles Darwin Cruise 101C (leg 2) 14 Jul-20 Aug 1996. Atlantic Margin Environmental survey: Seabed survey of the shelf edge and slope west of Shetland. Southampton Oceanography Centre, Southampton, 38 pp.
- Bett B J (2000a) The benthic ecology of the Faeroe-Shetland Channel. In: Atlantic margin environmental surveys of the seafloor CD-ROM, 53 pp.
- Bett B J (2000b) Comparative benthic ecology of the Rockall Trough and Faeroe-Shetland Channel. In: Atlantic margin environmental surveys of the seafloor CD-ROM, 53 pp.
- Bett B J (2000c) Initial assessment of seabed observations made during the White Zone (WhiZ) Environmental Survey (seabed survey of the deeper waters to the north and west of Shetland, 13 August - 14 September, 1999). White Zone DTI Marine Surveys 1999 Preliminary Report January 2000. Southampton Oceanography Centre, Southampton, UK, 28 pp.
- Bett B J (2000d) Preliminary observations on the "Darwin Mounds": a report to the ACES and ECOMOUND research community. Unpublished report, 10 pp.
- Bristow T, & Rees E I S (2001) Site fidelity and behaviour of bottlenose dolphins (*Tursiops truncatus*) in Cardigan Bay, Wales. Aquatic Mammals 2001, 27.1.
- British Ornithologists' Union (2000) The British List. British Ornithologists' Union, Tring, Herts, 36 pp.
- Britsurvey (1995) North Atlantic Surveys North Feni Ridge. Volume 2 Detailed Report. Prepared for Shell UK Exploration and Production, 34 pp.
- Brown A E, Burn A J, Hopkins J J & Way S F (eds.) (1997) The Habitats Directive: selection of Special Areas of Conservation in the UK. Joint Nature Conservation Committee Report 270, Peterborough, 295 pp.
- Brown C J, Hewer A J, Meadows W J, Limpenny D S, Cooper K M, Rees H L & Vivian C M G (2001) Mapping of gravel biotopes and an examination of the factors controlling the distribution, type and diversity of their biological communities. Science Series Technical Report CEFAS Lowestoft 114, 43 pp.

- Camphuysen C J & Leopold M F (1998) Kustvogels, zeevogels en bruinvissen in het Hollandse kustgebied. NIOZ-Report 1998-4, CSR Rapport 1998-2, IBN-Rapport 354. Netherlands Institute for Sea Research, Texel.
- Camphuysen C J, Heessen H J L & Winter C J N (1995) Distant feeding and associations with cetaceans of gannets *Morus bassanus* from the Bass Rock, May 1994. *Seabird* 17, 36-43.
- Carter I C, Williams J M, Webb A & Tasker M L (1993) Seabird concentrations in the North Sea: an atlas of vulnerability to surface pollutants. Joint Nature Conservation Committee, Aberdeen, 39 pp.
- CEFAS (2000) Quality Status Report of the Marine and Coastal Areas of the Irish Sea and Bristol Channel. DETR, London, 258 pp.
- Dando P R, Austen M C, Burke R J, Kendall M A, Kennicutt M C, Judd A G, Moore D C, O' Hara S C M, Schmaljohann R & Southward A J (1991) Ecology of a North Sea Pockmark with an active methane seep. *Marine Ecology Progress Series* 70, 49-63.
- Department for the Environment, Transport and the Regions, Ministry of Agriculture, Fisheries and Food (DETR), Scottish Executive Rural Affairs Department (SERAD), Department of Agriculture and Rural Development (Northern Ireland) (DARD), National Assembly for Wales (NAW) & Department of the Environment in Northern Ireland (DOE(NI)) (2000) A UK conservation strategy for the Harbour Porpoise (*Phocoena phocoena*). Department of Environment, Transport and the Regions, London, 16 pp.
- Dietrich R V & Jones E J W (1980) Volcanic rocks from Rosemary Bank (Rockall Trough, NE Atlantic). *Marine Geology* 35, 287-297.
- DTI (2001) Strategic Environmental Assessment of the Mature Areas of the Offshore North Sea SEA 2. Consultation Document. DTI Report, 202 pp.
- Dyer K R & Huntley D A (1999) The origin, classification and modelling of sand banks and ridges. *Continental Shelf Research* 19, 1285-1330.
- EC (1995) Natura 2000 Standard Data Form: Explanatory Notes. European Commission (DG Environment), Brussels, 32 pp.
- EC (1997) Council Directive 97/62/EC of 27 October 1997 adapting to technical and scientific progress Directive 92/43/EEC on the conservation of natural habitats and of wild fauna and flora. *Official Journal* L305 (8.11.1997), 42-65.  
[http://europa.eu.int/eur-lex/en/lif/dat/1997/en\\_397L0062.html](http://europa.eu.int/eur-lex/en/lif/dat/1997/en_397L0062.html)
- EC (1999) Interpretation manual of European Union habitats. Version EUR 15/2. European Commission (DG Environment), Brussels, 121 pp.  
<http://europa.eu.int/comm/environment/nature/hab-en.htm>
- EC (2001a) Interpretation note: Selection of sites for the species of Annex II *Phocoena phocoena*. Habitats Committee, Hab. 01/05.
- EC (2001b) Information on legal interpretation concerning management measures of marine sites linked to sectoral community policies. Habitats Committee, Hab. 1.04.
- Eden R A, Ardu D A, Binns P E, McQuillan R & Wilson J B (1971) Geological investigations with a manned submersible off the west coast of Scotland 1969-1970. Report of the Institute of Geological Sciences 71/16.
- EEC (1979) Council Directive 79/409/EEC of 2 April 1979 on the conservation of wild birds. *Official Journal* L103 (25.4.1979), 1-18. [http://europa.eu.int/eur-lex/en/lif/dat/1992/en\\_392L0043.html](http://europa.eu.int/eur-lex/en/lif/dat/1992/en_392L0043.html)
- EEC (1992) Council Directive 92/43/EEC of 21 May 1992 on the conservation of natural habitats and of wild fauna and flora. *Official Journal* L206 (22.7.1992), 7-50.  
[http://europa.eu.int/eur-lex/en/lif/dat/1992/en\\_392L0043.html](http://europa.eu.int/eur-lex/en/lif/dat/1992/en_392L0043.html)
- Environmental Resources Management (2000) Aggregate Production Licence Application, Median Deep (Area 461) Environmental Statement and Annexes. Environmental Resources Management Ltd, Oxford, 544 pp.
- Evans P G H (1993) The natural history of Whales and Dolphins. Academic Press.

- Gage J D (1986) The benthic fauna of the Rockall Trough: Regional distribution and bathymetric zonation. Proceedings of the Royal Society of Edinburgh 88B, 159-174.
- Goodchild M F (1986) Spatial autocorrelation. Geo Books, Norwich, 56 pp.
- Graham C, Campbell E, Cavill J, Gillespie E & Williams R (2001a) JNCC Marine Habitats GIS Version 3: its structure and content. British Geological Survey Commissioned Report, CR/01/238, 45 pp.
- Graham C, Stewart H A, Poulton C V L, James, J W C (2001b) A description of offshore gravel areas around the UK. British Geological Survey Commercial Report, CR/01/259, 26 pp.
- Hammond P S, Benke H, Berggren P, Collet A, Heide-Jørgensen, Heimlich-Boran S, Leopold M F & Øien N (1996) How many porpoises are there in the North Sea - and how many is enough? Sea Mammal Research Unit, St Andrews, 8 pp.
- Harding N & Riley H (2000a) The interpretation of data from ship borne surveys of the distribution of seabirds at sea. A case study: guillemots in the Moray Firth. Scottish Natural Heritage, Internal report.
- Harding N & Riley H (2000b) The use of waters surrounding their colonies by seabirds in Scotland. Scottish Natural Heritage, Internal report.
- HMSO (1994) The Conservation (Natural Habitats, &c.) Regulations 1994. Statutory Instrument No. 2716. HMSO, London.  
[www.hmso.gov.uk/si/si1994/Uksi\\_19942716\\_en\\_1.htm#tcon](http://www.hmso.gov.uk/si/si1994/Uksi_19942716_en_1.htm#tcon)
- HMSO (1995) The Conservation (Natural Habitats, &c.) Regulations (Northern Ireland) 1995. Statutory Rule No. 380. HMSO, London.
- HMSO (2001) Offshore Petroleum Activities (Conservation of Habitats) Regulations 2001. Statutory Instrument No. 1754. HMSO, London.  
[www.legislation.hmso.gov.uk/si/si2001/20011754.htm](http://www.legislation.hmso.gov.uk/si/si2001/20011754.htm)
- Holme N A & Wilson J B (1985) Faunas associated with longitudinal furrows and sand ribbons in a tide-swept area in the English Channel. Journal of the Marine Biological Association, UK 65, 1051-1072.
- Holt T J, Rees E I, Hawkins S J & Seed R (1998) Biogenic Reefs (volume IX). An overview of dynamic and sensitivity characteristics for conservation management of marine SACs. Scottish Association for Marine Science (UK Marine SACs Project), 170 pp.
- Hopkins J J & Buck A L (1995) The Habitats Directive Atlantic Biogeographical Region. Report of Atlantic Biogeographical Region Workshop, Edinburgh, Scotland, 13th-14th October 1994. Joint Nature Conservation Committee Report 247, Peterborough, 31 pp.
- Hovland M & Judd A G (1988) Seabed Pockmarks and Seepages: Impact on Geology, Biology and the Marine Environment. Graham & Trotman, London, 245 pp.
- Howe J A, Stoker M S & Woolfe K J (2001) Deep marine seabed erosion and gravel lags in the northwestern Rockall Trough, North Atlantic Ocean. Journal of the Geological Society 158 (3), 427-438.
- Humphery J, Holmes R and Gage J (1999) LOIS 'Shelf-Edge Study' seabed photographs. In: Lowry R K, Hughes J & Robjant M (Eds.) Land-Ocean Interaction Study (LOIS) Shelf Edge Study (SES) Data Set CD-ROM, Natural Environment Research Council, 6 pp.
- ICES (1999) Report of the study group on effects of sandeel fishing. ICES CM1999/ACFM:19, 12 pp.
- IOC, IHO and BODC (1997) GEBCO-97: The 1997 edition of the GEBCO Digital Atlas, published on behalf of the Intergovernmental Oceanographic Commission (of UNESCO) and the International Hydrographic Organisation as part of the General Bathymetric Chart of the Oceans (GEBCO); British Oceanographic Data Centre, Birkenhead (also includes a CD-ROM).
- Jensen A & Frederiksen R (1992) The fauna associated with the bank-forming deepwater coral *Lophelia pertusa* (Scleractinaria) on the Faroe shelf. Sarsia 77, 53-69.
- Joint Nature Conservation Committee (1999) The Birds Directive: selection guidelines for Special Protection Areas. Joint Nature Conservation Committee, Peterborough.

- Joint Nature Conservation Committee (1999) Relationship between Annex I marine habitats of the EC Habitats Directive and the MNCR BioMar marine biotope classification. Marine Information Note no 8. Joint Nature Conservation Committee, Peterborough.
- Jones E J W, Siddall R, Thirlwall M F, Chroston P N, Lloyd A J (1994) Seamount Anton Dohrn and the evolution of the Rockall Trough. *Oceanologica Acta* 17(3), 237-247.
- Kenyon N H, Ivanov M K & Akhmetzhanov A M (Eds.) (1998) Cold water carbonate mounds and sediment transport on the Northeast Atlantic margin. Intergovernmental Oceanographic Commission Technical Series 52, UNESCO, 178 pp.
- Kiely O, Lidgard D, McKibben M, Connolly N & Baines M (2000) Grey seals: Status and monitoring in the Irish and Celtic Seas. Maritime Ireland/Wales INTERREG Report No. 3.
- Le Danois E (1948) *Les Profondeurs de la Mer*. Payot, Paris, 303 pp.
- Leaper G M, Webb A, Benn S, Prendergast H D V, Tasker M L & Schofield R (1988) Seabird studies around St Kilda, June 1987. Nature Conservancy Council, CSD Report 804, Peterborough.
- Legendre P (1993) Spatial autocorrelation: Trouble or new paradigm? *Ecology* 74 (6) 1659-1673.
- MAFF (1981) Atlas of the Seas around the British Isles. Ministry of Agriculture, Fisheries and Food, 82 pp.
- Masson D G, Jacobs C L, Le Bas T P & Hühnerbach V (2000) Surficial Geology. Atlantic margin environmental surveys of the seafloor CD-ROM, 44 pp.
- McConnell B J, Fedak M A, Lovell P & Hammond P S (1999) Movements and foraging of grey seals in the North Sea. *Journal of Applied Ecology* 36, 573-590.
- McLeod C R, Yeo M, Brown A E, Burn A J, Hopkins J J & Way S F (Eds.) (in prep) The Habitats Directive: selection of Special Areas of Conservation in the UK 2<sup>nd</sup> Edition. Joint Nature Conservation Committee, Peterborough.
- Mudge G P, & Crooke C H (1986) Seasonal changes in the numbers and distribution of seabirds in the Moray Firth, northeast Scotland. *Proceedings of the Royal Society of Edinburgh B* 91, 81-104.
- Newell R C, Seiderer L J, Simpson N M & Robinson J E (2001) Distribution of *Sabellaria spinulosa*: Licence Areas 401/1 and 401/2. August 2000. Report prepared for Hanson Aggregates Marine Limited. Marine Ecological Surveys Limited, 20 pp.
- Pantin H M (1991) The sea-bed sediments around the United Kingdom: their bathymetric and physical environment, grain size, mineral composition and associated bedforms. British Geological Survey Research Report SB/90/1, 47 pp.
- Pierpoint C (2000) Bycatch of marine turtles in UK and Irish waters. Joint Nature Conservation Committee, Report No. 310, Peterborough.
- Rees E I S (2000) Preliminary observations on benthic biotopes at Haig Fras: an isolated submerged rock in the Celtic Sea. Paper for OSPAR/ICES/EEA Second Workshop on Habitat Classification, Southampton, 18-22 September 2000, 9 pp.
- Reid J B, Evans P R & Northridge S P (in prep) An atlas of cetacean distribution in north-west European waters. Joint Nature Conservation Committee, Peterborough.
- Riley H & Harding N (2000) Establishing a possible network of marine Special Protection Areas. A discussion of issues likely to arise in the identification of sites and boundaries and requirements for further work. Scottish Natural Heritage.
- Royal Society for the Protection of Birds & BirdLife International (2000) The development of boundary selection criteria for the extension of breeding seabird Special Protection Areas into the marine environment. Report to OSPAR Commission BDC 00/8/3-E, October 2000.
- Skov H, Durinck J, Leopold M F & Tasker M L (1995) Important bird areas for seabirds in the North Sea. BirdLife International, Cambridge.

- Stone C J, Harrison N M, Webb A & Best B J (1992) Seabird distribution around Skomer and Skokholm Islands, June 1990. Joint Nature Conservation Committee, Report No. 30.
- Stroud D A, Chambers D, Cook S, Buxton N, Fraser B, Clement P, Lewis P, McLean I, Baker H & Whitehead S (2001) The UK SPA network: its scope and contents. Volume 1 - Rationale for the selection of sites. Joint Nature Conservation Committee, Peterborough, 94 pp.
- Tasker M L & Pienkowski M W (1987) Vulnerable concentrations of birds in the North Sea. Nature Conservancy Council, Peterborough, 38 pp.
- Tasker M L, Webb A, Hall A J, Pienkowski M W & Langslow D R (1987) Seabirds in the North Sea. Nature Conservancy Council, Peterborough.
- Thompson P M, McConnell B J, Tollit D J, MacKay A, Hunter C & Racey P A (1996) Comparative distribution, movements and diet of harbour and grey seals from the Moray Firth, N.E. Scotland. *Journal of Applied Ecology* 33, 1572-1584.
- UK Biodiversity Group (1999) UK Biodiversity Group Tranche 2 Action Plans: Volume V maritime species and habitats. English Nature, Peterborough, 244 pp.
- Veenstra H J (1965) Geology of the Dogger Bank area, North Sea. *Marine Geology* 3, 245-262.
- Vorberg R (2000) Effects of shrimp fisheries on reefs of *Sabellaria spinulosa* (Polychaeta). *ICES Journal of Marine Science* 57, 1416-1420.
- Wanless S, Harris M P & Greenstreet S R (1998) Summer sandeel consumption by seabirds breeding in the Firth of Forth, southeast Scotland. *ICES Journal of Marine Science* 55, 1141-1151.
- Webb A, Tasker M L & Greenstreet S P R (1985) The distribution of guillemots (*Uria aalge*), razorbills (*Alca torda*), and puffins (*Fratercula arctica*) at sea around Flamborough Head, June 1984. Nature Conservancy Council, CSD Report No. 590.
- Wells R S, Hansen L J, Baldrige A, Dohl T P, Kelly D L & Defran R H (1990) Northward extension of the range of bottlenose dolphins along the California coast. In: Leatherwood S & Reeves R R (Eds.) *The Bottlenose Dolphin* Academic Press, San Diego, 412-431.
- Williams J M, Tasker M L, Carter I C & Webb A (1994) A method for assessing seabird vulnerability to surface pollutants. *Ibis* 137 suppl. 147-152.
- Wilson D P (1971) *Sabellaria* colonies at Duckpool, North Cornwall, 1961-70. *Journal of the Marine Biological Association, UK* 51, 509-580.
- Wilson J B (1979) The distribution of the coral *Lophelia pertusa* (Linnaeus 1758) [*L. prolifera* (Pallas)] in the north-east Atlantic. *Journal of the Marine Biological Association of the United Kingdom* 59: 149-164.
- Wilson J G, Mackie A S Y, O'Connor B D S, Rees E I S & Darbyshire T (2001) Benthic Biodiversity in the Southern Irish Sea 2: The South-West Irish Sea Survey. *Studies in Marine Biodiversity and Systematics from the National Museum of Wales. BIOMOR Reports* 2 (1), 143 pp.