

# NATURA 2000

## STANDARD DATA FORM

FOR SPECIAL PROTECTION AREAS (SPA)  
FOR SITES ELIGIBLE FOR IDENTIFICATION AS SITES OF COMMUNITY IMPORTANCE (SCI)  
AND  
FOR SPECIAL AREAS OF CONSERVATION (SAC)

### 1. Site identification:

1.1 Type  1.2 Site code

1.3 Compilation date  1.4 Update

1.5 Relationship with other Natura 2000 sites

<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
--------------------------	--------------------------	--------------------------	--------------------------	--------------------------	--------------------------	--------------------------	--------------------------

1.6 Respondent(s)

1.7 Site name

### 1.8 Site indication and designation classification dates

date site proposed as eligible as SCI	
date confirmed as SCI	
date site classified as SPA	200108
date site designated as SAC	

### 2. Site location:

#### 2.1 Site centre location

longitude	latitude
01 26 33 E	52 04 44 N

2.2 Site area (ha)  2.3 Site length (km)

#### 2.5 Administrative region

NUTS code	Region name	% cover
UK403	Suffolk	100.00%

#### 2.6 Biogeographic region

  
Alpine

  
Atlantic

  
Boreal

  
Continental

  
Macaronesia

  
Mediterranean

### 3. Ecological information:

#### 3.1 Annex I habitats

Habitat types present on the site and the site assessment for them:

Annex I habitat	% cover	Representativity	Relative surface	Conservation status	Global assessment

### 3.2 Annex I birds and regularly occurring migratory birds not listed on Annex I

Code	Species name	Population			Site assessment				
		Resident	Migratory		Population	Conservation	Isolation	Global	
			Breed	Winter					Stage
A224	<i>Caprimulgus europaeus</i>		109 P			B		C	
A246	<i>Lullula arborea</i>		154 P			B		C	

## 4. Site description:

### 4.1 General site character

Habitat classes	% cover
Marine areas. Sea inlets	
Tidal rivers. Estuaries. Mud flats. Sand flats. Lagoons (including saltwork basins)	
Salt marshes. Salt pastures. Salt steppes	
Coastal sand dunes. Sand beaches. Machair	
Shingle. Sea cliffs. Islets	
Inland water bodies (standing water, running water)	1.5
Bogs. Marshes. Water fringed vegetation. Fens	0.9
Heath. Scrub. Maquis and garrigue. Phygrana	14.6
Dry grassland. Steppes	11.5
Humid grassland. Mesophile grassland	
Alpine and sub-alpine grassland	
Improved grassland	0.1
Other arable land	
Broad-leaved deciduous woodland	10.6
Coniferous woodland	57.6
Evergreen woodland	
Mixed woodland	1.4
Non-forest areas cultivated with woody plants (including orchards, groves, vineyards, dehesas)	
Inland rocks. Screes. Sands. Permanent snow and ice	
Other land (including towns, villages, roads, waste places, mines, industrial sites)	1.8
<b>Total habitat cover</b>	<b>100%</b>

### 4.1 Other site characteristics

**Soil & geology:**

**Geomorphology & landscape:**

### 4.2 Quality and importance

#### ARTICLE 4.1 QUALIFICATION (79/409/EEC)

**During the breeding season the area regularly supports:**

<i>Caprimulgus europaeus</i>	3.2% of the GB breeding population Count as at 1992
<i>Lullula arborea</i>	10.3% of the GB breeding population Count as at 1997

#### ARTICLE 4.2 QUALIFICATION (79/409/EEC)

### 4.3 Vulnerability

Sandlings SPA comprises six SSSIs. Sandlings Forest SSSI, the largest of these, is dominated by commercial forestry. Within the forest, large areas of open ground suitable for woodlark and nightjar were created by storm damage in 1987. Maintenance of open areas in the future relies on clear felling as the main silvicultural practice and the maintenance of some areas earmarked for woodlark and nightjar habitat. These objectives are included in the East Anglia Forest District Strategic Plan.

On the heathland SSSIs, lack of traditional management has resulted in the heathland being subjected to successional changes with the consequent spread of bracken, shrubs and trees. This is being addressed through habitat management work under the Countryside Stewardship Scheme and Tomorrows Heathland Heritage, and is resulting in the restoration of more typical heathland habitat favourable to both nightjar and woodlark.

Human influences on the site include the frequent presence of travellers' caravans. This is a longstanding problem, and a variety of mechanisms are utilised to keep them from the heathland; the digging of trenches and construction of earth barriers around the borders of sites is proving effective.

## 5. Site protection status and relation with CORINE biotopes:

### 5.1 Designation types at national and regional level

Code	% cover
UK04 (SSSI/ASSI)	100.0