

References

- Adam, P, Birks, HJB, Huntley, B & Prentice, IC 1975 Phytosociological studies at Malham Tarn moss and fen, Yorkshire, England. *Vegetatio*, 30: 117-132.
- ADAS 1995a Blackdown Hills Environmentally Sensitive Area: Environmental Guidelines.
- ADAS 1995b Somerset Levels Environmentally Sensitive Area: Environmental Guidelines.
- Alexander, KNA 1999 The invertebrates of Britain's wood pastures. *British Wildlife* 10: 108-117.
- Alexander, KNA, Green, EE & Key, R 1996 The management of overmature tree populations for nature conservation – the basic guidelines. In: *Pollard and veteran tree management II*, ed. Read, H. Corporation of London, London.
- Amaranthus, MP, Perry, DA 1994 The functioning of ectomycorrhizal fungi in the field - linkages in space and time. *Plant and Soil*, 159: 133-140.
- Ball, AJ 1994 *The invasion of Salix scrub on Malham Tarn Fen North Yorkshire: an historical and biological evaluation of the Fen with recommendations for management*. BSc Thesis, Edge Hill College, Ormskirk.
- Barbour, D & Young, M 1993 Ecology and conservation of the Kentish Glory moth (*Endromia versicolora* L.) in eastern Scotland. *The Entomologist*, 112: 25-33.
- Barkmann, JJ 1990 A tentative typology of European scrub and forest communities based on vegetation texture and structure. *Vegetatio*, 86: 131-141.
- Barrett, J 1997 Regenerating juniper. *Enact*, 5: 8-9.
- Berry, R 1979 Nightjar habitats and breeding in East Anglia. *British Birds*, 72: 207-218.
- Bibby, CJ 1978 A heathland bird census. *Bird Study*, 25: 87-96.
- Bibby, CJ 1979a Foods of the Dartford Warbler *Sylvia undata* on southern English heathland (Aves: Sylviidae). *Journal of Zoology*, 188: 557-576.
- Bibby, CJ 1979b Breeding biology of the Dartford warbler *Sylvia undata* in England. *Ibis*, 121: 41-52.
- Bibby, CJ 1986 Merlins in Wales: site occupancy and breeding in relation to vegetation. *Journal of Applied Ecology*, 23: 1-12.
- Birks, HJB 1988 Long-term ecological change in the British uplands. In: *Ecological change in the uplands*, ed. by MB & DBA Thompson, 37-56. Special Publication of the British Ecological Society No.7. Oxford, Blackwell Scientific Publications.
- Boddy, M 1991 Some aspects of frugivory by bird populations using coastal dune scrub in Lincolnshire. *Bird Study*, 38: 188-199.
- Boddy, M 1992 Timing of Whitethroat *Sylvia communis* arrival, breeding and moult. *Ringing & Migration*, 13: 65-72.
- Borders Forest Trust 1997 Common juniper (*Juniperus communis* L.): a review of its biology and status in the Scottish Borders. BFT Occasional Paper No. 1. BFT/REV/97/1, pp. 1-35. London, Chapman & Hall.
- Brown, VK & Southwood TRE 1987 Secondary succession: patterns and strategies. In: *Colonisation, Succession and Stability*, ed. by AJ Gray, MJ Crawley & PJ Edwards. Blackwell Scientific Publications. 315-337.
- Brown, VK 1990 *The effects of changes in habitat structure during succession in terrestrial communities*, ed. by SS Bell, ED McCoy & HR Mushinsky, 141-168. Chapman & Hall, London.
- Carillo Garcia, A, de la Luz, JLL, Bashan, Y & Bethlenfalvay, GJ 1999 Nurse plants, mycorrhizae, and plant establishment in a disturbed area of the Sonoran Desert. *Restoration Ecology*, 7: 321-335.
- Cherrill, AJ & Brown VK 1990 The habitat requirements of adults of the Wart-biter *Decticus verrucivorus* (L.) (Orthoptera: Tettigoniidae) in southern England. *Biological Conservation* 53: 145-157.
- Chilterns Conference 1994 *Management plan for the Chilterns Area of Outstanding Natural Beauty: The framework for action*. Chilterns AONB office, High Wycombe.
- Churchfield, S & Brown, VK 1987 The trophic impact of small mammals in successional grasslands. *Biological Journal of the Linnean Society*, 31: 273-290.
- Clifton, SJ, Ward, LK, Ranner, DS 1997 The status of juniper *Juniperus communis* L. in North-East England. *Biological Conservation*, 79: 67-77.

- Connell, JH & Slatyer, RO 1977 Mechanisms of succession in natural communities and their role in community stability and organization. *American Naturalist*, 111: 1119-1144.
- Countryside Council for Wales 1999 *Tir Gofal: farmer's handbook*. CCW, Wales.
- Crawley, MJ 1997 The structure of plant communities. In: *Plant ecology*. 2nd ed. ed. by MJ Crawley, 475- 531. Oxford, Blackwell Science.
- Crofts, A & Jefferson RG 1999 *The lowland grassland management handbook*. 2nd ed. Peterborough, English Nature/The Wildlife Trusts.
- Crofts, A & Jefferson RG, eds. 1994. *The lowland grassland management handbook*. EN/RSNC. Peterborough: English Nature.
- Davies, A & Waite, S 1998 The persistence of calcareous grassland species in the soil seed bank under developing and established scrub. *Plant Ecology*, 136: 27-39.
- Denno, RF & Roderick GK 1991 Influence of patch size, vegetation texture, and host plant architecture on the diversity, abundance, and life-history styles of sap-feeding herbivores. In: *Habitat structure: the physical arrangement of objects in space*, ed. by Bell SS, McCoy ED & Mushinsky HR, 169-210. Chapman and Hall, London.
- Dixon, AFG 1985 *Aphid ecology*. Blackie, London.
- Dryden, R 1997. Habitat Restoration Project: Fact Sheets and Bibliographies. English Nature *Research Reports* No. 260. English Nature, Peterborough.
- Duffey, E, Morris, MG, Sheail, J, Ward, LK, Wells, DA & Wells, TCE 1974 *Grassland ecology and wildlife management*. London, Chapman and Hall.
- Eden, S & Eden, R 1999 Dormice in Dorset – the importance of hedges and scrub. *British Wildlife*, 10: 185-189.
- Edgar, RDM 1986 Some results of the study by ringing of warbler migration at Beachy Head from 1960 to 1985. *Sussex Bird Report for 1985*: 76-84.
- English Nature (undated) *SSSI notification of Dancers End, Buckinghamshire*. EN site files, Foxhold House, Newbury.
- English Nature 1999 *Chilterns Chalk Scrub Day, October 1999* (details of workshop). EN, Foxhold House, Newbury. Unpublished.
- Finegan, B 1984 Forest succession. *Nature*, 312: 109-114.
- French, DD, Miller, GR & Cummins, CP 1997 Recent development of high altitude *Pinus sylvestris* scrub in the northern Cairngorm mountains, Scotland. *Biological Conservation*, 79: 133-144.
- Friday, L & Colston, A 1999 Wicken Fen – the restoration of a wetland nature reserve. *British Wildlife*, 11: 37-46.
- Fuller, RJ 1982 *Bird habitats in Britain*. BTO and NCC. T. & A.D.Poyser.
- Fuller, RJ 1987 Composition and structure of bird communities in Britain. PhD Thesis, University of London.
- Fuller, RJ 1995 *Bird life of woodland and forest*. Cambridge, Cambridge University Press.
- Fuller, RJ 1996 Native and non-native trees as factors in habitat selection by woodland birds in Britain. In: *Native and non-native in British forestry*, ed. by PR Ratcliffe, 131-140. Proceedings of a discussion meeting. Edinburgh, Institute of Chartered Foresters.
- Fuller, RJ & Gough, SJ 1999 Changes in sheep numbers: implications for bird populations. *Biological Conservation*, 91: 73-89.
- Fuller, RJ & Henderson, ACB 1992 Distribution of breeding songbirds in Bradfield Woods, Suffolk, in relation to vegetation and coppice management. *Bird Study*, 39: 73-88.
- Fuller, RJ, Gillings, S & Gough, SJ *Variation in assemblages of breeding birds in British scrub: implications for conservation management*. Unpublished manuscript.
- Fuller, RJ, Gillings, S & Whitfield, DP in press Responses of breeding birds to expansion of scrub in the eastern Scottish Highlands: preliminary implications for conservation strategies. *Vogelwelt*.
- Fuller, RJ, Henderson, ACB & Wilson, AM 1999 The nightingale in England - problems and prospects. *British Wildlife*, 10: 221-230.
- Gange, AC, Brown, VK & Farmer, LM 1990 A test of mycorrhizal benefit in an early successional plant community. *New Phytologist*, 115: 85-91.
- Garcia, D, Zamora, R, Gomez, JM & Hodar, JA 1999 Bird rejection of unhealthy fruit reinforces the mutualism between juniper and its avian dispersers. *Oikos*, 85: 536-544.

The nature conservation value of scrub in Britain

- Gilbert, D 1997 The Millenium Forest for Scotland montane shrub project. *In: The ecology and restoration of montane and subalpine scrub habitats in Scotland*, ed. by D Gilbert, D Horsfield & DBA Thompson, 121-122. *SNH Review No. 83*. Edinburgh: Scottish Natural Heritage.
- Gilbert, D, Horsfield, D & Thompson, DBA. eds. 1997 The ecology and restoration of montane and subalpine scrub habitats in Scotland. *SNH Review No. 83*. Edinburgh, Scottish Natural Heritage.
- Gillings, S & Fuller, RJ 1998 The breeding bird community of upland juniper scrub in eastern Scotland. *Scottish Birds*, 19: 231-238.
- Gillings, S, Fuller, RJ & Henderson, ACB 1998 Avian community composition and patterns of bird distribution within birch-heath mosaics in north-east Scotland. *Ornis Fennica*, 75: 27-37.
- Godfray, HCJ 1985 The absolute abundance of leaf miners on plants of different successional stages. *Oikos*, 45: 17-25.
- Good, JEG, Bryant, R & Carlill, P 1990 Distribution, longevity and survival of upland hawthorn (*Crataegus monogyna*) scrub in North Wales in relation to sheep grazing. *Journal of Applied Ecology*, 27: 272-283.
- Gough, S 1999 Distribution of birds across different habitats at Castor Hanglands National Nature Reserve. *Nature in Cambridgeshire*, 41: 11-21.
- Gough, SJ & Fuller, RJ 1998 Scrub management for conservation in lowland England: practices, problems and possibilities. *BTO Research Report No. 194*.
- Grubb, PJ & Key, BA 1975 Clearance of scrub and re-establishment of chalk grassland on the Devil's Dyke. *Nature in Cambridgeshire*, 18: 18-23.
- Haila, Y & Hanski, IK 1987 Habitat and territory overlap of breeding passerines in the mosaic environment of small islands in the Baltic. *Ornis Fennica*, 64: 37-49.
- Harding, PT & Rose, F 1986 Pasture-woodlands in lowland Britain: a review of their importance for wildlife conservation. Huntingdon, Institute of Terrestrial Ecology.
- Helle, P & Fuller, RJ 1988 Migrant passerine birds in European forest successions in relation to vegetation height and geographical position. *Journal of Animal Ecology*, 57: 565-579.
- Herrera, CM 1989 Frugivory and seed dispersal by carivorous mammals, and associated fruit characteristics, in undisturbed Mediterranean habitats. *Oikos*, 55: 250-262.
- Hester, A & Miller, GR 1995 Scrub and woodland regeneration: prospects for the future. *In: Heaths and moorland: cultural landscapes*, ed. by DBA Thompson & MB Usher, 140-153. Edinburgh, HMSO.
- Hester, AJ 1995 Scrub in the Scottish uplands. *SNH Review No. 24*. Edinburgh, Scottish Natural Heritage.
- HMSO 1995 Biodiversity: the UK Steering Group report. Volume 2: Action Plans. London, HMSO.
- Hodgetts, N 1993 Atlantic bryophytes on the western seaboard. *British Wildlife*, 4: 287-295.
- Hodgkin, SE 1984 Scrub encroachment and its effects on soil fertility on Newborough Warren, Anglesey, Wales. *Biological Conservation*, 29: 99-119.
- Hopkins, J 1996 Scrub Ecology and Conservation. *British Wildlife*, 8: 28-36.
- Horsfield, D & Thompson, DBA 1997 Ecology and conservation of montane scrub. *In: The ecology and restoration of montane and subalpine scrub habitats in Scotland*, ed. by D Gilbert, D Horsfield & DBA Thompson, pp. 21-31. *SNH Review No. 83*. Edinburgh, Scottish Natural Heritage.
- Houston, J 1997 Conservation Management Practice on British Dune Systems. *British Wildlife*, 8: 297-307.
- Huntley, B & Birks HJB 1979a The past and present vegetation of the Morrone Birkwoods National Nature Reserve, Scotland. I. A primary phytosociological survey. *Journal of Ecology*, 67: 417-446.
- Huntley, B & Birks HJB 1979b The past and present vegetation of the Morrone Birkwoods National Nature Reserve, Scotland. II. Woodland vegetation and soils. *Journal of Ecology*, 67: 447-467.
- Hurford, C 1993 A baseline survey to monitor the effects of scrub clearance on vegetation at Ogmor Down, June 1992. Countryside Council for Wales Species and Monitoring Report 92/2/6. Countryside Council for Wales, Bangor.
- James, FC 1971 Ordinations of habitat relationships among breeding birds. *Wilson Bulletin*, 83: 215-236.
- Jefferson, RG & Robertson HJ 1996. Lowland grassland: wildlife value and conservaiton status. *English Nature Research Reports No. 169*. English Nature, Peterborough.
- Kelly, JP 1993 The effect of nest predation on habitat selection by dusky flycatchers in limber pine-juniper woodland. *Condor*, 95: 83-

93.

- Key, RS & Ball, SG 1993 Positive management for saproxylic invertebrates. *In: Dead wood matters: the ecology and conservation of saproxylic invertebrates in Britain*, ed. Kirby, KJ & Drake, CM. *English Nature Science 7*. English Nature, Peterborough.
- Key, RS 1996 Invertebrate conservation and pollards. *In: Pollard and veteran tree management II*, ed. Read, H. Corporation of London, London.
- Kirby, P 1992 *Habitat management for invertebrates: a practical handbook*. RSPB, Sandy.
- Lambert, S 1993 Ouse Washes management strategy: management of woody vegetation topic paper. *Internal EN report*.
- Large, RV & King, N 1978 The integrated use of land for agricultural and amenity purposes: lamb production from Soak sheep used to control scrub and improve the grass cover of chalk downland. Grassland Research Institute Technical Report No. 25. Hurley; Grassland Research Institute.
- Lawton, JH & Schroder, D 1977 Effects of plant type, size of geographical range and taxonomic isolation on the number of insect species associated with British plants. *Nature*, 265: 137-140.
- Lawton, JH 1978 *Host plant influences on insect diversity: the effects of space and time*. *Symposium of the Entomological Society of London 9*: 105-25.
- Leather, SR 1986 Insect species richness of the British Rosaceae: the importance of host range, plant architecture, age of establishment, taxonomic isolation and species-area relationships. *Journal of Animal Ecology*, 55: 841-860.
- MacKenzie, NA 1996 Upland and Montane Scrub Communities in NW Region: a consolidation of existing knowledge. *Report to SNH*. Edinburgh, Scottish Natural Heritage.
- MacKenzie, NA 1999 High Altitude Tree-lines, Montane and Sub-alpine Scrub Communities. *Report to Highland Birchwoods*. Munloch, Ross-shire, Highland Birchwoods.
- MAFF 1997a Environmentally Sensitive Areas: Somerset Levels and Moors ESA Guidelines for Farmers. PB 2931/SLM
- MAFF 1997b Environmentally Sensitive Areas: South Downs ESA Guidelines for Farmers. PB 2931/SD.
- MAFF 1997c Farm Woodland Scheme rules and procedures. PB 2990.
- MAFF 1998a Environmentally Sensitive Areas: Explanatory Notes. PB 3362. ESA/1.
- MAFF 1998b Environmentally Sensitive Areas: Test Valley and Avon Valley ESAs. Guidelines for Farmers. PB 3361/AT.
- MAFF 1998c Environmentally Sensitive Areas: South Wessex Downs ESA. Guidelines for Farmers. PB 3361/SWD.
- MAFF 1999a The Countryside Stewardship Scheme: Information and how to apply. PB 3950A.
- MAFF 1999b Environmentally Sensitive Areas: Cotswold Hills ESA Guidelines for Farmers. PB 4309/CH.
- Manson, RH & Stiles, EW 1998 Links between microhabitat preferences and seed predation by small mammals in old fields. *Oikos*, 82: 37-50.
- Mardon, D 1997 Eight years of montane scrub restoration at Ben Lawers NNR. *In: The Ecology and Restoration of Montane and Subalpine Scrub Habitats in Scotland*. Edited by D Gilbert, D Horsfield and DBA Thompson. Scottish Natural Heritage Review No. 83. Scottish Natural Heritage, Edinburgh. Pp. 65-74.
- Martin, J-L & Thibault, J-C 1996 Coexistence in Mediterranean warblers: ecological differences or interspecific territoriality? *Journal of Biogeography*, 23: 169-178.
- Martin, TE 1993 Nest predation and nest sites: new perspectives on old patterns. *BioScience*, 43: 523-532.
- Martin, TE 1998 Are microhabitat preferences of coexisting species under selection and adaptive? *Ecology*, 79: 656-670.
- Martin, TE & Roper, JT 1988 Nest predation and nest-site selection of a western population of the hermit thrush. *Condor*, 90: 51-57.
- Masters, GJ & Brown VK 1995 *Host plant mediated interactions between spatially separated herbivores: effects on community structure*, ed. by AC Gange & VK Brown, 217-237. Blackwell Science, Oxford.
- Masters, GJ, Brown, VK, Clarke, IP, Whittaker, JB & Hollier, JA 1998 Direct and indirect effects of climate change on insect herbivores: Auchenorrhyncha (Homoptera). *Ecological Entomology*, 23: 45-52.
- Matthews, JR 1955 *Origin and Distribution of the British Flora*. London, Hutchinson.
- McBride, A 1997 The Status of Common Juniper (*Juniperus communis* L.) in the Scottish Borders. *Report to the Borders Forest Trust by McBride Habitats*. Ancrum, Roxburghshire, Borders Forest Trust.

The nature conservation value of scrub in Britain

- McClanahan, TR & Wolfe, RW 1993 Accelerating forest succession in a fragmented landscape: the role of birds and perches. *Conservation Biology*, 7: 279-288.
- McVean, DN 1964 The forest zone. In: *The vegetation of Scotland*, ed. by JH Burnett, 144-167. Edinburgh, Oliver and Boyd.
- Morgan, RA 1978 Changes in the bird community at Gibraltar Point, Lincolnshire, between 1965 and 1974. *Bird Study* 25: 51-58.
- Mucina, L 1997 Conspectus of classes of European vegetation. *Folia Geobotanica et Phytotaxonomica*, 32: 117-172.
- Nash, DR, Agassiz, DJL, Godfray, HCJ & Lawton, JH 1995 The pattern of spread of invading species: two leaf-mining moths colonizing Great Britain. *Journal of Animal Ecology*, 64: 225-233.
- Nature Conservancy Council 1986. *The management of chalk grassland for butterflies*. NCC, Peterborough.
- Oates, M 1999 Sea cliff slopes and combs – their management for nature conservation. *British Wildlife*, 10: 394-402.
- Parr TW 1978 An analysis of soil micro-arthropod succession. *Scientific Proceedings of the Royal Dublin Society 6A*: 185-196.
- Parr, R & Watson, A 1988 Habitat preferences of Black Grouse on moorland-dominated ground in north-east Scotland. *Ardea* 76: 175-180.
- Pearsall, WH 1918 The aquatic and marsh vegetation of Esthwaite Water. *Journal of Ecology*, 5: 53-74.
- Pigott, CD & Wilson, JH 1978 The vegetation of North Fen at Esthwaite in 1967-69. *Proceedings of the Royal Society of London, Series A*, 200: 331-351.
- Proctor, MCF 1974 The vegetation of the Malham Tarn fens. *Field Studies*, 4: 1-38.
- Ranwell, DS, ed. 1972 *The management of sea buckthorn (Hippophae rhamnoides L.) on selected sites in Great Britain*. Norwich, The Nature Conservancy Council.
- Ratcliffe, DA 1977 *A nature conservation review: the selection of biological sites of national importance to nature conservation in Britain*. Cambridge, Cambridge University Press.
- Ratcliffe, DA & Thompson, DBA 1988 The British uplands: their ecological character and international significance. In: *Ecological Change in the Uplands*, ed. by MB Usher & DBA Thompson, 9-36. *Special Publication of the British Ecological Society No.7*. Oxford, Blackwell Scientific Publications.
- Riddiford, N 1997 The Distribution and Health of the Prostrate Juniper *Juniperus communis nana* population on Fair Isle, 1997. *Report to SNH and The National Trust for Scotland*. Edinburgh, SNH.
- Rodwell, JS 1997 *A phytosociological conspectus of British plant communities*. Lancaster, Unit of Vegetation Science Report to JNCC.
- Rodwell, JS, Dring, JC, Averis, ABG, Proctor, MCF, Malloch, AJC, Schaminee, JHJ & Dargie, TCD 1998 *Review of coverage of the National Vegetation Classification*. Lancaster, Unit of Vegetation Science Report to JNCC.
- Rodwell, JS, ed. 1991 *British plant communities Vol. 1: Woodlands and scrub*. Cambridge, Cambridge University Press.
- Rushton SP 1988. The effects of scrub management on the spider fauna of chalk grassland, at Castor Hanglands National Nature Reserve, Cambridgeshire, UK. *Biological Conservation* 46: 169-82.
- Rushton SP, Eyre MD & Luff ML 1990. The effects of scrub management on the ground beetles of oolithic limestone grassland at Castor Hanglands National Nature Reserve, Cambridgeshire, UK. *Biological Conservation* 51: 97-111.
- Russell, B, Plunkett, J & Williams, P 1993 Vegetation monitoring of a scrub cleared area at Wye NNR: initial analysis of results of monitoring carried out by Wye NNR staff in June 1991 and 1992. *English Nature Internal Report*. English Nature, Peterborough.
- Santos, T, Telleria, JL & Virgos, E 1999 Dispersal of Spanish juniper *Juniperus thurifera* by birds and mammals in a fragmented landscape. *Ecography*, 22: 193-204.
- Scott, R 1997 *Betula nana* in Scotland. In: *Insects associated with Birch. Proceedings of the Royal Society of Edinburgh, Section B-Biological Sciences*, ed. by MR Shaw, 85, 169-181.
- Scottish Natural Heritage 1994 *Red deer and the natural heritage: a policy review*. Battleby, Scotland, Scottish Natural Heritage.
- Scottish Office 1999a Environmentally Sensitive Areas: explanatory leaflet for farmers, crofters and common grazings committees. The Stationery Office B6112 3/99 (13161).
- Scottish Office 1999b Argyll Islands Environmentally Sensitive Area Scheme Appendix. PMC03330.
- Shaw, MR 1984 Insects associated with Birch. *Proceedings of the Royal Society of Edinburgh, Section B-Biological Sciences*, 85: 169-181.
- Shirt, DB 1987 *British red data book: 2. Insects*. Nature Conservancy Council.

- Simms, E 1971 *Woodland Birds*. New Naturalist. Collins.
- Sisitka, L 1996 *Guide to the care of ancient trees*. English Nature, Peterborough.
- Sitters, HP 1985 Cirl Buntings in Britain in 1982. *Bird Study*, 32: 1-10.
- Smith, CJ 1980. *Ecology of the English chalk*. Academic Press, London.
- Smith, SE & Read, DJ 1997 *Mycorrhizal symbiosis*. London, Academic Press.
- Sneddon, P & Randall, RE 1993 *Coastal vegetated shingle structures of Great Britain: main report*. Peterborough, JNCC.
- Snow, B & Snow, D 1988 *Birds and berries: a study of an ecological interaction*. Calton, Poyser.
- Southwood TRE, Brown VK & Reader PM 1979 The relationships of plant and insect diversities in succession. *Biological Journal of the Linnean Society of London* 12: 327-348.
- Speight, MCD 1989 Saproxylic invertebrates and their conservation. *Nature and Environment Series* 42: 79.
- Stace, C 1991 *New Flora of the British Isles*. Cambridge University Press.
- Staines, BW, Balharry, R & Welch, D 1995 The impact of red deer and their management on the natural heritage in the uplands. *In: Heaths and moorland: cultural landscapes*, ed. by DBA Thompson & ME Usher, 294-308. Edinburgh, HMSO.
- Steven, G & Biron EM 1992 *Oxfordshire chalk grassland survey 1991-92*. English Nature, Newbury.
- Strong, DR, Lawton, JH & Southwood, R 1984 *Insects on Plants*. Oxford, Oxford University Press.
- Stubbs, AE 1972 Wildlife conservation and dead wood. *Journal of the Devon Trust for Nature Conservation*, suppl., 1-18.
- Tansley, AG 1939 *The British Isles and their vegetation*. Cambridge, Cambridge University Press.
- Tansley, AG 1965 fourth impression. *The British islands and their vegetation*. Cambridge University Press.
- Treweek, J, José, P & Benstead, P, eds. 1997 *The wet grassland guide*. Sandy, Royal Society for the Protection of Birds.
- Uetz GW 1991 Habitat structure and spider foraging. *In: Habitat structure: the physical arrangement of objects in space*, ed. by Bell SS, McCoy ED & Mushinsky HR Chapman and Hall, London.
- Usher, MB & Thompson, DBA 1993 Variation in the upland heathlands of Great Britain: conservation importance. *Biological Conservation*, 66: 69-81.
- Usher, MB & Thompson, DBA 1993 Variation in the upland heathlands of Great Britain: conservation importance. *Biological Conservation*, 66: 69-81.
- Ward, LK 1972 The fauna of Hippophae. *In: The management of sea buckthorn, Hippophae rhamnoides L. on selected sites in Great Britain. Report of the Hippophae Study Group*, ed. by DS Ranwell, 12-17. The Nature Conservancy.
- Ward, LK 1973 The conservation of juniper: 1. Present status of juniper in Southern England. *Journal of Applied Ecology*, 10: 165-183.
- Ward, LK 1988 The validity and interpretation of insect food-plant records. *British Journal of Entomology and Natural History*, 1: 153-162.
- Ward, LK 1989 *Seed viability in juniper (Juniperus communis)*. Wareham, Institute of Terrestrial Ecology.
- Ward, LK 1990. Management of grassland-scrub mosaics. *In: Calcareous Grasslands – Ecology and Management*, ed. by SH Hillier, DWH Walton & DA Wells, 134-139. Huntingdon, Bluntisham Books.
- Ward, LK & Jennings, RD 1990a Succession of disturbed and undisturbed chalk grassland at Aston Rowant National Nature Reserve: dynamics of species changes. *Journal of Applied Ecology*, 27: 897-912.
- Ward, LK & Jennings, RD 1990b Succession of disturbed and undisturbed chalk grassland at Aston Rowant National Nature Reserve: details of changes in species. *Journal of Applied Ecology*, 27: 913-923.
- Ward, LK & Spalding, DF 1993 Phytophagous British insects and mites and their food-plant families: total numbers and polyphagy. *Biological Journal of the Linnean Society*, 49: 257-276.
- Warren, MS & Key, RS 1989 Woodlands: Past, present and potential for insects. *In: Conservation of insects and their habitats – the 15th Symposium of the Royal Entomological Society*, ed. Collins, NM & Thomas, JA. Academic Press, London.
- Wells TCE, Sheail, Ball DF & Ward LK 1976. Ecological studies on the Porton Ranges: relationships between vegetation, soils and land-use history. *Journal of Ecology* 64: 589-626.
- Whelan, CJ, Schmidt, KA, Steele, BB, Quinn, WJ & Dilger, S 1998 Are bird-consumed fruits complementary resources? *Oikos*, 83:

The nature conservation value of scrub in Britain

195-205.

- Whitney, GC 1994 From coastal wilderness to fruited plain: a history of environmental change in temperate North America from 1500 to the present. Cambridge, Cambridge University Press.
- Wild, C & Entwistle, C 1997 Habitat management and conservation of the adder in Britain. *British Wildlife*, 8: 287-295.
- Williamson, K 1975 The breeding bird community of chalk grassland scrub in the Chiltern Hills. *Bird Study*, 22: 59-70.
- Williamson, K 1967 A bird community of accreting sand dunes and salt marsh. *British Birds*, 60: 145-157.
- Wilson, A 2000 Boom and bust – mixed news from the 1999 nightingale survey. *BTO News*, 227: 6-7.
- Wotton, S, Gibbons, DW, Dilger, M & Grice, PV 1998 Cetti's warblers in the united kingdom and the Channel Islands in 1996. *British Birds*, 91: 77-89.
- Wyatt, BK, Greatorex-Davies, JN, Hill, MO, Parr, TW, Bunce, RGH & Fuller, RM 1994 *Comparison of land cover definitions*. London, Department of the Environment.
- Yela, JL & Lawton, LH 1997 Insect herbivore loads on native and introduced plants: a preliminary study. *Entomologia Experimentalis et Applicata*, 85: 275-279.